

登録№	調査区	グリッド	遺構	長さ	幅	厚さ	重さ	角度1	角度2	角度3	備考
粗製剥片石器											
95S-308	IH95Ba	J12q	SD27	131.1	87.5	26.1	377.4	44	66	50	石器3278
95S-319	IH95Aa	J8j	SD56下層	101.8	161	23	457.5	33	52	42	石器560
95S-320	IH95Ab	J20l	SD68	115.5	101.6	28.8	342	25	22	43	
95S-321	IH95Ba	J7q	東壁トレンチ	90.6	132.3	15	205	25	34	20	
95S-322	IH95Ba	J10p	検	34	90.8	12.5	41	36	34	35	石器1568
95S-323	IH95Ba	J12r	SD29	90.7	151.8	24.8	401	26	74	40	石器3150
95S-324	IH95E	A20b	SB07	56.7	62.3	13.9	72	35	38	40	
95S-325	IH95E	A1c	SB16下層	63.5	68.9	11.7	60	32	35	28	
95S-326	IH95E	A5e	SB23 №40	130.4	137	24.8	487	33	14	16	
95S-327	IH95Aa	J14・ 15l~m	SD50	93.9	106.7	33.3	432.5	55	70	66	
95S-328	IH95Aa	J17n	SD49下層	68	90.9	26.8	190	45	65	55	石器399
95S-329	IH95Ba	J9q	検	39.6	110.6	18.5	102.5	50	46	38	石器634
95S-330	IH95Aa	J9j	SD02、SX03セ クションベルト	96.6	95.9	21.6	242.5	55	35	62	
95S-331	IH95Aa	J9i	包含層	55.8	121.7	13.4	125	60	42	30	
95S-332	IH95Aa	J9j	SD02	76.3	86.3	12.4	108	35	37	26	
95S-333	IH95Aa	J10l	検	32	51.6	6	13.8	32	40	50	
95S-334	IH95Aa	J17n	SD49上層	97	56.8	26.3	162.5	43	35	45	石236
95S-335	IH95Aa	J15m	SD50	78.4	99.7	13.6	138	39	40	29	
95S-336	IH95Aa	J10i	SK87	101.3	115.9	21.6	282.5	48	19	29	石263
95S-337	IH95Aa	J18o	SD49下層	75.8	87.2	29.4	318	85	65	55	石203
95S-338	IH95Aa	J17m	SD49下層	147.9	181	30.4	985	34	18	25	石21
95S-339	IH95Aa2		下面表土ハギ	44.9	84.4	11.7	53.8	35	39	35	
95S-340	IH95Aa	J13l	SD54	104.6	121.3	18.7	182.5	40	21	15	
95S-341	IH95Aa	J8j	検	56.2	104.1	15.5	116	46	63	33	
95S-342	IH95Aa	J10h	検	78	73.7	4.2	166	50	50	46	石器703
95S-343	IH95Aa	J16l	SD49上層	149.5	122.7	38.2	720	29	64	63	石器507
95S-344	IH95Aa	J15l	SD50下層	74.5	76.5	5	93.8	27	9	19	石器513
95S-345	IH95Aa	J9j		47.2	72.7	24.6	101.3	65	65	59	石器104
95S-346	IH95Ab	J1l	SK67	67.5	88.1	19.3	163				
95S-347	IH95Ab	J5n	SD71	62.4	112.1	19.2	146.3	20	29	33	
95S-348	IH95Ab	J4o	SD37下層	61.3	53.9	11.1	41				土器(群)19
95S-349	IH95Ab	J20m	SD37下層	62.8	111.3	26.6	196	50	55	75	
95S-350	IH95Ab	J2n	包含層	48.6	57.7	12.9	27.5	54	56	55	
95S-351	IH95Ab	J2l	SB03	135.6	59.8	33.3	295	46	49	35	
95S-352	IH95Ab	J3o	SD37上層	96.4	116.5	21	291.3	61	40	56	
95S-353	IH95Ab	J19m	北壁トレンチ	78	116.2	21.2	227.5	60	78	77	
95S-354	IH95Ab	J3n	SD37下層	95.5	130.8	28.8	469	73	60	66	
95S-355	IH95Ab	J20k・ J1k	西壁トレンチ	90.9	117.5	31.9	296	75	39	54	
95S-356	IH95Ab	J19l	北壁トレンチ	92.7	96.3	24.3	310	65	59	61	
95S-357	IH95Ab	J20k	検	68	60.7	23.3	137.5	40	56	43	石器785
95S-358	IH95Ab	J1n	SD61	83.7	111.4	18.5	219	50	40	35	
95S-359	IH95Ab	J1n	SD61	95.3	98.5	23.3	280	36	48	35	
95S-360	IH95Ab	J2n	SD61	34.5	77.2	12.4	27.5				
95S-361	IH95Ab	J2l	SD60	90.5	110.4	22.9	277.5	40	35	43	
95S-362	IH95Ab	J3m	SD60	81.7	91.1	25.5	220	65	51	75	
95S-363	IH95Ab	J4p	SD65下層	116.3	80.8	28.5	357	66	40	37	
95S-364	IH95Ab	J4o	SD65	92.7	139.3	26.1	110	33	38	28	
95S-365	IH95Ab	J20l	SD65下層	56.7	78.2	18.9	102.5	71	39	62	
95S-366	IH95Ab	J2l	SD70	79	108.1	16.1	169.9	69	47	24	
95S-367	IH95Ab	J4o	SX09	90.9	92.7	22.8	270				
95S-368	IH95Ab	J4n	SK168	105	127.2	27.8	412.5	39	46	50	
95S-369	IH95Ab	J20m	SD65下層	103.3	165	26	509	75	55	65	
95S-370	IH95Ab	J20l	SD68	86.2	66.6	22	147	40	48	36	

95S-371	IH95Ab	J19m	北壁トレンチ	54	58.4	9.6	37.5	30	34	35
95S-372	IH95Ab	J3m	検	56.3	58.1	14.2	47.5	32	35	24
95S-373	IH95Ab	J1l	SD65下層	75.6	58.7	21.5	128	38	45	55
95S-374	IH95Ab	J20k	SD65	60.2	90.9	15.2	87	41	48	33
95S-375	IH95Ab	J1m	SD65(攪乱)	92	81.4	25.5	267.5	54	48	59
95S-376	IH95Ab	J4p	SD65	50	100.8	32.9	178.8			
95S-377	IH95Ab	J1l	SD65上層	87.6	91.5	24.1	272.5	65	60	55
95S-378	IH95Ab	J20k	SD65	71.7	91.3	15.5	147	40	80	70 石器788
95S-379	IH95Ab	J2m	SK140	85.3	110	27.1	355	44	45	70
95S-380	IH95Ab	J20l	SD65	71.9	132.6	19.4	218	30	41	49
95S-381	IH95Ab	J20k	検	111	121.6	29.5	443	35	55	51
95S-382	IH95Ab	J3m	SK164	63.2	101.6	19.6	135	36	24	38
95S-383	IH95Ab	J4o	SD65			19.1	77.5			
95S-384	IH95Ab	J3o	SD65下層	78.2	79.4	22	164.5	31	55	50
95S-385	IH95Ab	J2n	SD65上層	110.6	61.3	29.2	144.5	44	24	16
95S-386	IH95Ab	J20m	SD68	60.2	85.4	27.8	174	63	38	50
95S-387	IH95Ab	J5p	SD65	64.3	100.2	25	160	60	48	55
95S-388	IH95Ab	J20l	SD65下層	104.8	83.2	27.5	322.5	64	74	69
95S-389	IH95Ab	J5n	SD71	94.5	117.1	17.3	215	28	24	35
95S-390	IH95Ab	J5n	SD71	124.8	113	36.4	513	28	26	39
95S-391	IH95Ab	J2m	SD69	93.5	101.1	19.9	217	44	37	46
95S-392	IH95Ab	J5l	SD69	54.4	58.1	9	35	19		
95S-393	IH95Ba		表土ハギ	76.5	58.9	21	102	60	75	70
95S-394	IH95Ba	J8q	SX01	85.9	98.3	17.9	190	33	60	38
95S-395	IH95Ba	J14o	SK61	121.9	180	29.4	692	45	43	51
95S-396	IH95Ba	J7p	SK03	19.9	57.7	7.9	10			
95S-397	IH95Ba	J10q	SD13	91.1	126.5	32.5	401	70	52	41
95S-398	IH95Ba	J8p	西壁トレンチ	44.4	86.1	18.8	77.9	60	56	55
95S-399	IH95Ba	J7q	検	92.3	120.5	37.4	432.5	56	60	85
95S-400	IH95Ba	J7p	検	126.2	60.9	19.4	232	45	39	28 石器240
95S-401	IH95Ba	J12r	SK89	84	101	22	232.5	39	45	65
95S-402	IH95Ba	J6q	検	54.2	57.1	16.3	56.3	54	36	65
95S-403	IH95Ba	J7p	検	47.1	74.7	13.7	51	65	50	26
95S-404	IH95Ba	J9p	中央トレンチ	57.3	76.3	21.8	110			
95S-405	IH95Ba	J7p	検	55.2	97.2	14.4	111.3	65	65	54 石器112
95S-406	IH95Ba	J6q	SD24	96.6	146.8	24.9	353	18	21	15 石器1935
95S-407	IH95Ba	J10q	SD33上層	78.7	73.1	22.7	160			
95S-408	IH95Ba	J12r	SD29	65.9	92.7	18.5	104.5	40	54	45
95S-409	IH95Ba	J9p	SD38	100.9	115.7	23.8	295	45	36	50
95S-410	IH95Ba	J10q	SD33			12.4	29	34	40	40
95S-411	IH95Ba	J12r	SD29	95.2	140.2	40.1	437.5	49	38	56
95S-412	IH95Ba	J12q	SD28(SD25?)	88.5	50.9	16.7	99.5	51	40	46
95S-413	IH95Ba	J9r	検	126	119.4	35	626	54	41	42
95S-414	IH95Ba	J7q	SD23	76.2	71.7	17.2	105	35	28	30 石器1233
95S-415	IH95Ba	J6q	SD23			13.3	46.3			石器1246
95S-416	IH95Ba	J8q	SD24	117.6	121.5	22.6	315	20	15	18 石器3166
95S-417	IH95Ba	J6p	SD24	70.1	91.3	25.6	130	20	21	33 石器1939
95S-418	IH95Ba	J9q	SD24	96.1	192	26.9	333	25	32	25
95S-419	IH95Ba	J9p	SD25(下層)	101.5	159	24	550	36	60	40
95S-420	IH95Ba	J6p	SD23	89.3	130.5	17.3	207.5	26	23	17 石器1940
95S-421	IH95Ba	J10p	SD25(下層)	83.4	120.8	22	267			
95S-422	IH95Ba	J10r	SD35	111.8	131.8	27.3	511	51	44	31
95S-423	IH95Ba	J8q	SK100	68.5	92.2	26.3	221	52	57	51 石器3249
95S-424	IH95Ba	J10p	検	67.3	79.5	16	82	31	30	28 石器1951
95S-425	IH95Ba	J10p	SD25(下層)	74.8	101	16.6	187.5			
95S-426	IH95Ba	J10r	SD33(下層)	124.8	183	24.1	806	35	37	50 石器3198
95S-427	IH95Ba	J6q	SD24	63.9	116.7	32.3	307.5	59	50	49 石器1936

95S-428	IH95Ba	J7p	検	49.5	74.6	27.1	87	55	53	54
95S-429	IH95Ba	J8q	SK99	64.8	90.9	14.2	110	22	27	26
95S-430	IH95Ba	J7p	SD36	98.2	146.7	27.3	458	36	27	30 石176
95S-431	IH95Ba	J8q	検	69.1	106.6	23.4	174.5	51	54	40 石器1161
95S-432	IH95Ba	J10r	SD35	99.3	101.1	27.9	341	55	56	30
95S-433	IH95Ba	J9p	SD25(下層)	71.9	85.9	22.7	170			
95S-434	IH95Ba	J10p	検	76.6	96.7	20	203	45	35	24 石器1947
95S-435	IH95Ba	J9q	SB04床面	42.7	49.6	22.6	34	29	38	36
95S-436	IH95Ba	J6p	SB02	73.6	83.9	11.5	66	30	26	15 石器2053
95S-437	IH95Bb	J5t	SD02	104.2	118.9	24.8	78	18	34	21
95S-438	IH95C	J10 l.10k	検 (包含層)	119.9	114.1	12.2	100	24	26	28
95S-439	IH95C	J10j	南面西壁トレンチ	88.5	138.1	27	378	30	51	43
95S-440	IH95D	J5t	SB11	72.3	99.7	20	177.5	65	50	77
95S-441	IH95D	J19r	SB02	50.5	79.3	14.4	57	40	20	15
95S-442	IH95D		東壁トレンチ	69.8	41.1	16.3	67	45	41	30
95S-443	IH95D	J3o	SK78	149.9	156	27.4	645	31	27	58
95S-444	IH95D2	J18p	SK209	85.6	136.4	26.4	378	45	39	64
95S-445	IH95D2	J1o	SB49	92	75.7	17.9	181	46	74	63
95S-446	IH95E	A2a	検 №44	118.6	124.6	27	427	41	39	28
95S-447	IH95E	A1a	SB12	101.2	125.8	23	322	21	16	25
95S-448	IH95E	A1d	SB31	45.7	83.9	10.5	60	28	30	31
95S-856	IH95Ab	J4p	攪乱	35.5	60.9	15.6	42.5	45	41	55
95S-857	IH95Ba	J12q	SD28(SD25?)	75.5	108.4	26.6	302.5	35	70	56
95S-880	IH95E	A1c	SB30	115.5	123	22.8	356	20	12	35
95S-881	IH95Ab	J4m	検	90.5	100.2	21.2	190	25	22	20

登録№	調査区	グリッド	遺構	長さ	幅	厚さ	重さ	角度1	角度2	角度3	備考
粗製剥片石器											
96S-157	IH96J2	J10n	SD24	127.9	172	38.5	926	39	46	50	
96S-199	IH96P	J13t	SD23	215	128.4	34.7		55	44	66	
96S-207	IH96Hb	J19f	南壁トレンチ	103.5	81.4	13	128	28	49	29	
96S-208	IH96Ia	J15q	SB01	117.4	86.6	18.8	215	21	22	25	
96S-209	IH96Ia	J16o	検	103.4	68.6	20.5	172.4	20	30	35	
96S-210	IH96Ia	J14r	NR01	77.9	109.6	16.9	154	30	38	36	
96S-211	IH96J2	J10n	SK23	112.3	134.5	24.3	351	23	24	18	
96S-212	IH96J3	J7m	SK58			9.5	7.5				
96S-213	IH96J3	J8o	SD34	103.5	110.2	22.4	335.1	60	65	63	
96S-214	IH96J3	J10o	SB11	100.6	93.8	15.4	174.9	35	24	15	
96S-215	IH96J4	J6o	SD47	101.2	116.7	16.4	195.1	20	28	33	
96S-216	IH96K	J15k	SD10	79.8	105.9	27.4	214	40	28	41	
96S-217	IH96K2	J13j	SD107	116.8	136.8	23.3	385	20	26	34	
96S-218	IH96K2	J17i	SD104	98.9	126	23	292.5	35	49	46	
96S-219	IH96La	A14p	SK68(SB13)	90.3	91.6	22.5	207.5	21	34	28	
96S-220	IH96La	A16p	SD11	130.8	129.9	33.2	742	36	40	44	石8
96S-221	IH96Lc	A1n	SB35	84.3	117.1	18.8	202.5	28	35	25	石器1
96S-222	IH96Lc	A4l	西壁トレンチ	119.3	98.6	25.3	307.4	45	40	40	
96S-223	IH96N	A1i	SE01	97.6	118.6	24.9	330	36	40	51	
96S-224	IH96O	A2c	SD03	78.6	69	11.8	90.1	24	22	21	
96S-225	IH96O	A5c	SD55上層	133.5	136.5	26.3	669	36	34	52	
96S-226	IH96O		NR01下部砂層	124.3	187	20.1	504.9	20	26	15	
96S-227	IH96O			98.8	173	19.9	364	30	33	29	
96S-228	IH96P	J15t	SD19	103.6	117.2	13.3	205	20	18	24	
96S-229	IH96P		南壁	121.5	177	23	593	29	24	41	
96S-230	IH96J2	J6n	SD18	51	38.9	17.6	41				
96S-231	IH96J3	J8n	SD43	119.9	126.6	26.9	585	34	45	50	石器1
96S-232	IH96O	A4d	SK330	72	78.7	16	113	41	45	40	
96S-233	IH96Q		東壁トレンチ	87	93	19.1	164	32	36	41	
96S-234	IH96Ha	J16h	SB07	37.2	60.3	12.9	50	55	64	60	
96S-235	IH96Hb	J18t	P12	75.3	85.6	20.5	145	28	31	36	
96S-236	IH96Ia	J15q	SK08			12.7	32				
96S-237	IH96Ia	J16t	谷層(黄灰)	110.4	114.5	26	370	45	37	34	
96S-238	IH96Ia	J15p	NR01	123.4	170	40.1		64	78	60	
96S-239	IH96Ib	J1s	SD04	93.2	108.6	18	221	41	46	33	
96S-240	IH96Ib	J3o	SD06 №6	97.6	125.7	25.3	381	68	54	39	
96S-241	IH96Ib	J4r	谷層	84.4	103.1	16.3	193	46	28	35	
96S-242	IH96J	J6m	SD09	86.1	77.6	15.3	100	38	24	24	
96S-243	IH96J	J6o	SX02	123.4	124.9	22	332.5	35	26	21	
96S-244	IH96J	J8n	SD09	55.6	84.1	13.5	53	35	25	21	
96S-245	IH96J	J9n	SD10下層(SZ01)	119.4	113.9	26.1	351	35	21	49	
96S-246	IH96J2	J6n	SD18	63.3	82.6	9.5	52.5	40	54	58	
96S-247	IH96J2	J6n	検(下面包含層)	68.5	123.5	18.8	142	34	49	40	
96S-248	IH96J2	J6o	SX04	62.2	53	14.1	52	44	34	40	
96S-249	IH96J2	J7o	検	62.2	107	23.6	87	54	35	48	
96S-250	IH96J2	J8m	SD10下層	50.3	75	28.4	95	57	41	43	
96S-251	IH96J2	J8m	SD18-B	107.5	72.3	17.8	182.6				
96S-252	IH96J2	J8n	SD18-B	39.1	48.9	16.2	41	52	36	30	
96S-253	IH96J2	J8n	SD15サブトレンチ(下層)	87.5	109.5	17.2	187	30	19	20	
96S-254	IH96J2	J9n	SD10最下層(SZ01)	103.3	137.1	24.9	342	39	36	48	
96S-255	IH96J2	J9n	SD21	72.4	100.7	20.5	221	28	26	48	

96S-256	IH96J2	J9o	SD30	45.3	86.7	14	71	38	20	24
96S-257	IH96J2	J9o	SD30	94.6	106	30.3	420	70	54	44
96S-258	IH96J2	J10m	SD22	66.8	80.7	27.8	151	46	29	36
96S-259	IH96J2	J10n	SK21	105.2	82.7	29	217.5	36	28	23
96S-260	IH96J2	J10n	SD29	70.3	87.4	28.7	173	49	55	31
96S-261	IH96J3	J7n	SD34	76.8	110.3	20.2	197.5	35	28	31
96S-262	IH96J3	J7o	SD34	45.8	69.4	17	65	50	65	42
96S-263	IH96J3	J7o	SD36	51	66.8	12.8	52	22	25	48
96S-264	IH96J3	J8m	検	131.4	113.2	25	482	46	41	35
96S-265	IH96J3	J8n	P321	20.2	62.4	10.7	17.5	46	44	40
96S-266	IH96J3	J8n	SD43	95.6	112.6	26.5	282.5	41	44	52
96S-267	IH96J3	J8o	SD32	56.2	76.2	20.1	107.5	66	61	65
96S-268	IH96J3	J8o	検	32.1	64	17	42	41	37	28
96S-269				120	130.6	21.2	384	45	40	34
96S-270	IH96K		SD21	66.2	133.4	17.1	244	36	51	75
96S-271	IH96K	J13k	検	76.6	102.4	16.7	142	40	50	46
96S-272	IH96K	J18j	検	106.9	137.1	21.1	351	24	36	38
96S-273	IH96K2	J13i	SD107	106	113.4	40.1	476	41	65	67
96S-274	IH96K2	J13j	東壁トレンチ	82	85.5	16.7	155	16	20	18
96S-275	IH96K2	J16j	SD104	72	95.3	24.6	193	34	38	42
96S-276	IH96K2	J16j	SD104	70.9	92.8	25.3	229	82	61	65
96S-277	IH96K2	J16j	SD104上層	83.1	74	18.2	129	45	30	32
96S-278	IH96K2	J16j	SD104上層	68.5	100.3	23	210	39	60	69
96S-279	IH96K2	J16j	SD104トレンチ1	88.9	78.9	24.7	228	50	35	38
96S-280	IH96K2	J16k	SD104上層	98.8	107.3	30.6	365	70	49	51
96S-281	IH96K2	J16k	SD104上層	87.6	103.7	23.5	237.4	55	46	75
96S-282	IH96K2	J17k	検	56.5	86.9	14.9	102	49	30	35
96S-283	IH96Lc	A3m	SB37	80.8	147.1	18.3	42	25	31	43 石器1
96S-284	IH96M	B17d	SD08	71	70.3	15.6	114	45	37	30
96S-285	IH96O	A20b	SK299	53.2	74.4	14.8	67.5	33	44	45
96S-286	IH96O	A20b	SK299	122.2	65.8	20.7	231	28	31	34
96S-287	IH96O	A1b	SK304	105.7	63.5	20.2	133	29	20	25
96S-288	IH96O	A1b	検	64	88.6	14.2	86	20	35	18
96S-289	IH96O	A1c	SK317上層	97.9	122.7	18.9	215	13	18	16
96S-290	IH96O	A1c	SK317下層	92.2	118	21.6	245	30	35	37
96S-291	IH96O	A1c	SK343	139.3	122.8	28.5	619	35	34	37
96S-292	IH96O	A2c	SD03	91.7	92.6	19.5	183	24		
96S-293	IH96O	A2c	SK316	102.9	92.4	19.4	200	60	47	40
96S-294	IH96O	A3c	SD03	105.3	123.6	17	262	31	35	46
96S-295	IH96O	A3c	検	146.9	105.1	15.7	308	26	24	21
96S-296	IH96O	A4c	ウ SZ01西溝	68.6	73.5	14.7	103	39	40	43
96S-297	IH96O	A4d	攪乱	82.6	136	25.9	213	30	24	34
96S-298	IH96O	A5d	SZ02両北溝 (コーナー)	84	98.5	14.9	157.9	45	28	21
96S-299	IH96O	A6e	検	102.5	59	17	101	17	25	27
96S-300	IH96O	A6d	SK33	80	90.5	15.8	142	25	42	45
96S-301	IH96O	A8e	SZ03南溝	113.2	139.5	33.7		50	33	42
96S-302	IH96O	A9f	SD52	100	46.9	22.5	121	25	27	29
96S-303	IH96O	A9f	NR01岸辺タイ セキ中層	67.3	136	35.3	384	55	64	58
96S-304	IH96O		西壁 西壁セクション№1	106.8	53.1	10.2	92	22	25	26
96S-305	IH96O		～4(ヘビ塚周溝の 上の層)	158	96.9	39.5		37	45	43
96S-306	IH96O		西壁SX04(ヘ ビ塚周辺)セク ション№6	110.9	148.1	16.5	368	27	21	26

96S - 307	I H 9 6 O		西壁 S X 0 4 (ヘ ビ塚周辺) セク ション № 8 , 1 5 , 1 7 , 1 8 , 1 9 , 2 3	87.1	124.3	17.3	265	30	34	35
96S - 308	I H 9 6 O		東壁トレンチ	145.9	72.3	15.1	203	22	30	32
96S - 309	I H 9 6 O		東壁トレンチ	29.4	67.3	7.2	17	35	34	28
96S - 310	I H 9 6 P	J 7 p	S K 7 8	111.8	94.3	19.4	245	31	25	20
96S - 598	I H 9 6 J 3	J 8 n	S D 1 8 - B	60.5	63.6	12.7	52.5	25	20	15
96S - 599	I H 9 6 K 2	J 1 6 k	S D 1 0 4 下層	65.9	84.5	29.9	196	65	69	60
96S - 629	I H 9 6 H b	J 1 8 b	S B 1 2	111.9	94.6	16	204	35	45	38

登録№	調査区	グリッド	遺構	長さ	幅	厚さ	重さ	角度 1	角度 2	角度 3	備考
		粗製剥片石器									
97S - 1	I H 9 7	A 8 r	S K 0 3	86	111.7	13.5	157.5	20	27	55	石器 1
97S - 2	I H 9 7	A 8 r	検	96.5	74.9	13.7	106	24	26	12	