

登録№	調査区	グリッド	遺構	長さ	幅	厚さ	重さ	角度	石材	備考
太形										
95S-453	I H 95 A a	J 15 m	S D 19	77.3	45	33.9	32.6		h	
95S-454	I H 95 A a 2	J 17 n		-104.2	-71.8	-40.8	-487.5	-72	h	石器2
95S-455	I H 95 A a 2	J 13 l	S D 54	31.9	37.3	19.4	25		h	石器735
95S-456	I H 95 A b 3	J 2 m	S D 61	46.7	54.7	45	165		h	
95S-457	I H 95 A b 3	J 1 l	S D 60下層	10.5	20.3	4.8	2.4		h	
95S-458	I H 95 A b 4	J 4 o	S X 09	125	48.5	31.6	291	70	h	石器811
95S-459	I H 95 A b 4	J 4 p	S D 65	85.9	27	26.5	32.4		h	石器784
95S-460	I H 95 A b 4	J 20 k	S D 65	80.9	44.2	40.2	124		h	石器791
95S-461	I H 95 A b 4	J 2 n	S D 65下層	46.4	66.9	44.3	205.2		h	
95S-462	I H 95 A b 4	J 4 p	S D 65	-91.9	-45.9	34	-262	70	h	石器781
95S-463	I H 95 A b 4	J 1 n	S D 65	32.6	49.2	10.1	20		h	
95S-464	I H 95 B a	J 9 r	東壁トレンチ	49.2	75.1	37.6	235		h	
95S-465	I H 95 B a 3	J 8 q	S K 45	58.4	56.9	41.7	172.5		h	石器2
95S-466	I H 95 B a 3	J 10 p	検	77	34.3	25	67.6		h	
95S-467	I H 95 B a 5	J 7 q	検	55.2	71	35.9	182		h	石器1184
SD38(SD33下層)										
95S-468	I H 95 B a 5	J 9 p	層)	49.7	40.4	17.1	40		h	
95S-469	I H 95 B a 5	J 7 q	検	112.3	63	39.8	476		h	石器628
95S-470	I H 95 B a 5	J 9 q	S D 35	119.8	49.5	40.8	250		h	
95S-471	I H 95 B a 5	J 9 p	S D 25(下層)	86.7	62.6	51.7	390		h	
95S-472	I H 95 B a 5	J 11 p	S D 25(下層)	73.2	35.1	32.2	57		h	石器2215
95S-473	I H 95 B a 5	6 p	S B 02	100.2	57.6	32.8	296	73	h	石器3217
95S-474	I H 95 B a 5	J 9 q	S B 05床面	-58.4	-23.8	-27	-35	70	h	
95S-508	I H 95 B a 4	J 6 p	S K 81	-121.1	-60.3	-38.1	-455		h	石器35
95S-514	I H 95 A b 4	J 20 l	S D 65下層	-118.7	73.2	-46.5	632		h	石器810
95S-537	I H 95 B a 5	J 9 p	S D 25下層	58.3	26.4	19.6	40		h	石器3076
扁平										
95S-485	I H 95 A a	J 17 n	水田耕作土	57.5	30.5	11.1	37	53	h	
95S-486	I H 95 A a 2	J 17 m	S D 49	28.5	18.1	7.7	5		h	
95S-487	I H 95 A b	J 2 l	水田耕作土	54.3	29.8	7.5	25	44	h	
95S-488	I H 95 A b	J 5 o	包含層	-56	-38.4	-11.9	-39		h	
95S-489	I H 95 A b	J 3 l	水田耕作土	44.7	33.7	8.4	25		h	
95S-490	I H 95 A b 3	J 3 n	S K 101	-70.3	-34.5	-8.4	-38		h	石器3
95S-491	I H 95 A b 3	J 3 l	検	23.3	40.1	6.4	12.5		h	
95S-492	I H 95 A b 4	J 20 o	検	48.9	36.2	11.3	37.3		h	
95S-493	I H 95 A b 4	J 3 l	検	60.5	50.8	8.7	45		h	石器795
95S-494	I H 95 A b 4	J 3 p	S D 65下層	67.1	35.8	11.9	42.5		h	石器816
95S-495	I H 95 A b 4	J 20 m	検	42.9	46	10.8	38		h	
95S-496	I H 95 B a	J 9 p	検	-65.5	-31.7	-9.1	-31		h	石器№4
95S-498	I H 95 B a 2	J 9 q	S K 10	42.3	33.7	8.5	26	52	h	
95S-499	I H 95 B a 3	J 10 q	検	47.3	30.1	7.3	24	39	h	石器1
95S-500	I H 95 B a 3	J 6 p	S K 40	56.4	40	12.6	57.5	48	h	石器5
95S-501	I H 95 B a 4	J 9 p	検	44.9	21.9	8.5	7.5		h	
未成品										
95S-476	I H 95 A b	J 1 n	S D 37	45.5	38.7	21.9	50		h	
95S-477	I H 95 A b 3	J 2 n	S D 61	118.3	29.9	24.8	119.9		h	黑色片岩
95S-484	I H 95 B a 3	J 6 p	検	80	19.7	14.3	29.8		h	
95S-497	I H 95 B a	J 7 p	S K 03	80.6	42.6	17.7	82.6	51	h	硅質岩
95S-502	I H 95 B a 4	J 8 q	検	69.3	54.3	20.5	87.6		h	石器392
95S-506	I H 95 B a 5	J 8 q	S D 37	94.6	23.8	12.5	46		h	石器3200
95S-507	I H 95 B a 3	J 14 n	NR01-3層(下層)	182	73.7	58.2			h	石器3
95S-509	I H 95 B a 5	J 10 p	S D 25(下層)	129.5	74.9	51	824		h	
95S-510	I H 95 A b 3	J 1 l	検	38.3	53	19.8	44.9		h	
95S-511	I H 95 A b 4	J 20 l	S D 65	76	44.3	20.8	110		h	石器785
95S-512	I H 95 A b 4	J 1 l	S D 66	111.1	62.9	23.2	264		h	石器808

95S-513	IH95Ba3	J15n	NR01-3層(下層)	54.6	36.3	12.5	41	h	
95S-515	IH95Ba3	J13p	SX05	57.3	56.2	26.6	117.3	48 h	
			SD49下層 東壁トレ						
95S-517	IH95Aa2	J18o	ンチ	76.7	60.7	17.9	87.5	h	
95S-536	IH95Ba5	J8q	検	43	42.8	6	15	-38 h	石器336
挟入柱状									
95S-475	IH95Aa2	J13l	SD54	27.4	23	5.6	5	結晶片岩	石器740
95S-478	IH95Ab3	J3n	SK101	102.3	48.1	37.4	332.6	h	石器1
95S-481	IH95Ab4	J2n	SD65	75.4	34.1	36.3	167.5	h	石器796
95S-482	IH95Ba	J8p	SK02	33.5	35.6	25.2	45	h	
95S-483	IH95Ba2	J8q	SK15	18.4	20.7	3.8	2.5	h	
柱状									
95S-479	IH95Ab4	J20l	SD65	49.5	26.5	19.8	42.4	64 h	石器778
95S-480	IH95Ab4	J2m	SK129	68.9	26.6	20	76	h	石器787
95S-503	IH95Aa2	J18n	SD49(上層)	12.5	29.3	8.8	7.5	h	
95S-504	IH95Ab4	J3m	SD69	9.6	37.5	9.3	10	h	石器806
95S-505	IH95Ab4	J3p	SD65	13.6	42.7	7.9	10	h	
磨斧破片									
95S-516	IH95Aa	J18m	SD17	54.3	22.2	8.3	14.8	h	
95S-518	IH95Ab3	J20k	検	37.3	33.7	10.4	17	h	石器889
95S-519	IH95Ab3	J20k	検	31.5	22.8	5.2	5	h	
95S-520	IH95Ab3	J1o	検	28.8	27.2	7.6	6.7	h	石器950
95S-521	IH95Ab3	J2m	SD60	19	14.3	8.1	2.3	h	
95S-522	IH95Ab3	J3m	SD60下層	43.1	36.6	6.6	15	h	
95S-523	IH95Ab4	J20l	北壁清掃	32.8	24.5	4.1	4.2	h	
95S-524	IH95Ab4	J3l	検	41.4	38.6	11.1	22.3	h	
95S-525	IH95Ba	J15r	SD01	46.6	21.3	5.3	7.1	h	
95S-526	IH95Ba3	J6p	SK40	29.8	15.2	4.7	2	h	
95S-527	IH95Ba5	J6p	SB02	43.7	16.1	7.2	4.3	h	石器1644
95S-528	IH95Ba5	J7p	SD25(下層)	26.8	24.2	3.9	2.4	h	石器2171
95S-529	IH95Ba5	J7p	SD36	29.3	14.9	3.9	1.7	h	
95S-530	IH95Ba5	J7p	検	26.8	25.2	6.5	5.2	h	石器147
95S-531	IH95Ba5	J8p	SD25上層	24.3	23.7	7.7	3.7	h	石器2437
95S-532	IH95Ba5	J8p	SD25(下層)	19.9	19.5	4.5	2	h	石器2197
95S-533	IH95Ba5	J8p	SK100	40.5	29.7	13.5	17.5	h	
95S-534	IH95Ba5	J8p	検	27.9	17.2	7.2	3.4	h	石器367
95S-535	IH95Ba5	J8p	検	21.5	13.4	3	1.5	h	石器331
95S-538	IH95Ba5	J9p	SD25下層	47.4	23.2	10.8	10.6	h	
95S-539	IH95Ba5	J9p	検	19.3	15.8	3.1	0.9	h	石器1123
95S-540	IH95Ba5	J9q	SB01	24.8	16.7	2.8	1.3	h	石器1343
95S-541	IH95Ab3	J1l	SD60下層	16.1	13.4	1.6	0.5	h	
95S-542	IH95Ab3	J3o	検	48.4	32.5	8.8	14.8	h	
95S-543	IH95Ab4	J20k	SD65	31.8	26	3.4	3.6	h	
95S-544	IH95Ba2	J8p	西壁トレンチ	37.8	24.6	9.3	9.4	h	
95S-545	IH95Ba2	J8q	検	24.7	15.1	2.7	1.3	h	
95S-546	IH95Ba3	J6p	検	34.5	26.3	6.8	6.9	h	
95S-547	IH95Ba3	J7p	検	35.2	34.5	7	10.7	h	
95S-548	IH95Ba3	J10p	検	37.5	30.7	4.5	6.9	h	
95S-549	IH95Ba4	J12r	SD29	24.5	17.1	3.7	1.9	h	石器3283
95S-550	IH95Ba5	J7p	SD30	19.1	16.6	4.5	1.5	h	石器2921
95S-551	IH95Ba5	J8p	SD30	61.8	31.5	11	20.1	h	石器2840
95S-552	IH95Ba5	J8p	検	17.7	11.2	1.5	0.5	h	石器324
95S-553	IH95Ba5	J8p	検	14.4	10.1	2.1	0.3	h	石器1607
95S-554	IH95Ba5	J8p	検	24.3	23.2	1.3	1.7	h	石器421
95S-555	IH95Ba5	J8p	検	18	9.2	1.3	0.4	h	石器344

9 5 S - 5 5 6	I H 9 5 B a 5	J 9 p 検	20.2	16.1	7.3	3.7	h	石器 9 4 3
9 5 S - 5 5 7	I H 9 5 B a 5	J 1 0 q 検	26.6	23.9	5.7	3.6	h	石器 1 1 0 0

石材凡例
h：ハイアロクラス
イト

登録№	調査区	グリッド	遺構	長さ	幅	厚さ	重さ	角度	石材	備考
両刃										
96S-313	IH96J	J9m	SD10下層(SZ01)	-50.5	-58.1	-37.2	-134	82	h	
96S-314	IH96J2	J7n	SD32	67.4	36.4	19	44		h	
96S-315	IH96J2	J9m	SD10下層	28.7	28.9	27.6	22		h	
96S-317	IH96J3	J7o	SB08	-123.3	-28.7	-28.2	-120	78	h	
96S-318	IH96J3	J8o	SD34	-60.5	-32.1	-14.9	-33		h	
96S-319	IH96K		SK65	-55.2	-34	-36.5	-116	78	h	
96S-320	IH96K2	J14k	検	-89.2	-64.7	-41.4	-369		h	
96S-321	IH96K2	J13j	SD107	-92	-62.9	-49.8	-396		h	
96S-322	IH96Lc	J5q	SD01	-91.5	-54.7	-34.5	-176		h	
96S-323	IH96O	A1b	SD05	-56.3	-47.6	-32.3	-121	75	h	
96S-324	IH96O	A1c	SK304	-58.2	-21.5	-28	-32.5		h	
96S-325	IH96O	A1c	SX01	-72.8	-40.7	-30.3	-137	68	h	
96S-326	IH96O	A9e	検	-102	-64.4	-47.9	-420		h	
96S-327	IH96P	A18a	掘り下げ	-79.1	-52.8	-39.5	-193	69	h	
96S-353	IH96J	J8n	SD10下層(SZ01)	182	72.7	54.8	971			濃飛流紋岩
扁平										
96S-330	IH96J3	J7m	SD43	23.5	21	6.9	5		h	
96S-336	IH96J	J9m	SD10下層(SZ01)	-71.2	-36.2	-15	-77.5			結晶片岩
96S-337	IH96J	J9o	SD13中層	-50.3	-50.3	-13.6	-36	46	h	
96S-339	IH96J2	J6n	SD18	42.9	25.2	12.7	14		h	
96S-340	IH96J2	J6o	SX04 3群	42.9	26.2	10	25	55	h	
96S-341	IH96J2	J8n	SD15(下層) サプト	36.2	27.8	8	7.9	48	h	
96S-343	IH96J2	J10m	SD20	38.7	31.1	10.4	12.5		h	
96S-344	IH96J2	J10n	SD29(SK)	-51	-30	11.5	-39		h	
96S-345	IH96J3	J6o	検	35.8	27.9	13.7	17.4		h	
96S-346	IH96J3	J7m	SD57	-33.8	-40.3	-11	-26	39	h	
96S-347	IH96J3	J8m	SD43	42.4	36.5	9.1	15	50	h	
96S-348	IH96O	A2b	SD03 集石部	57.3	25.7	8.4	28	39	h	
96S-349	IH96O	A3c	掘り下げ	35	28	9	12.4	40	h	
96S-351	IH96J3	J8o	SD32	18.6	10.1	7	2.5		h	
未成品										
96S-312	IH96J	J6n	SK05	37.5	46.5	9.9	20	20	h	
96S-316	IH96J3	J5o	SK44	66.4	37.7	14.7	41		h	
96S-335	IH96O	A5d	SK313上層、下層混	31.6	32.3	18.5	22.5	58	h	
96S-338	IH96J	J9o	SD13下層(SZ01)	41.8	49.8	18.2	55		h	
96S-355	IH96J3	J8n	SD43下層	62.4	38.6	22	57.3	50	h	
96S-356	IH96J2	J6m	SD18	55.3	42.4	24.2	65		h	
96S-357	IH96J2	J9m	SD10下層	88.9	30.9	23	82.3		h	
96S-358	IH96K2	J16j	SD104上層	25.7	53.7	30.1	62.4		h	
棒状										
96S-329	IH96J3	J6n	SD37	146.2	35.8	30	282.7	67	h	
96S-331	IH96J3	J8m	SK66	105.6	39.5	21.9	225.1		h	
96S-334	IH96O	A3c	検	124.6	46.1	29.1	306	60	h	
挟入柱状										
96S-328	IH96J	J8n	SD15	36.7	20.1	14.1	10		h	
96S-333	IH96O	A2c	SD03	68.2	36.3	7.9	34.9		h	
96S-354	IH96K	J17k	検	56.6	47.5	29.1	77.4		h	
柱状										
96S-350	IH96J2	J7n	SD18-B	41.4	16.4	14.6	25		h	
96S-352	IH96O	A12e	SD46	43.4	12.9	14.2	12.5	51	h	
96S-385	IH96K2	J16k	SD104	38.4	16.1	8.2	12.4		h	

96S-332	IH96O	A2b	SD03 集石部	53	18.5	16.4	27.5	結晶片岩
		磨斧破片						
96S-342	IH96J2	J9n	SD10下層	25.6	15.9	4.8	2.8	h
			SD10下層(SZ01)					
96S-359	IH96J	J9n	サブトレンチ	37.8	29	6	8.8	h
96S-360	IH96J2	J7m	検 (下面 包含層)	35.9	22.2	6.3	6.2	h
95S-361	IH96J2	J7n	SD18-A	27.4	23.5	5	4.6	h
96S-362	IH96J3	J8o	SD32	31.9	24.7	7.7	5.8	h
95S-363	IH96K	J18k	検	41.7	32.8	9.5	14.4	h
96S-364	IH96J2	J7m	SB05	20.8	15.7	4.1	1.8	h
96S-365	IH96J2	J9n	SD24	28	11.5	5.7	2.9	h
96S-366	IH96J3	J8n	SD43	24.5	24	4	2.9	h
96S-367	IH96K	J13j	SD10	52	39.7	10.1	20.5	h
96S-368	IH96K2	J16i	SD104	23.6	19.9	8.1	3.6	h

石材凡例

h: ハイアロクラスタイ
ト

登録№	調査区	グリッド	遺構	長さ	幅	厚さ	重さ	備考
		柱状片刃						
9 7 S - 4	I H 9 7	A 1 1 q	S D 0 2	39.6	15	13.1	12.7	ハイアロ