

登録№	調査区	グリッド	遺構	長さ	幅	厚さ	重さ	備考
タタキ石								
95S-577	IH95Aa2	J9i		110.7	97.3	52.4	832	石器107
95S-578	IH95Aa2	J11k	SD13下層	94.7	57.8	43.5	354	
95S-579	IH95Aa2	J17n	SD49	67.5	30.8	20	63	石32
95S-580	IH95Aa2	J17m	SD49下層	81.6	60.9	56.1	400	石119
95S-581	IH95Aa2	J17n	SD49下層	121.1	55.3	37	398	石35
95S-582	IH95Aa2	J17n	SD49下層	79.4	55.8	24.1	128	石器298
95S-583	IH95Aa2	J17n	SD49下層	82.1	65.7	50	290	石器428
95S-584	IH95Aa2	J18o	SD49下層	101.7	44	43.2	292.5	石93
95S-585	IH95Aa2	J18o	SD49下層	128	45.9	43	337	石器422
95S-586	IH95Aa2	J15m	SD50(上層)	129.6	88.3	64	1025	石14
95S-587	IH95Aa2	J15n	SD50(上層)	128.4	64.5	44	572	石22
95S-588	IH95Aa2	J9i	SK85	106.1	62.2	52.2	465	石器671
95S-589	IH95Aa2	J17e	西壁トレンチ	78.9	67.7	48.3	365	
95S-590	IH95Ab	J1n	SD37	104.6	85.6	43.8	597	
95S-591	IH95Ab	J3o	SD37	107.9	87.8	45.6	639	
95S-592	IH95Ab	J3n	SD37上層	153.2	111.4	56.4		
95S-593	IH95Ab	J1l	SD46	96.7	82.6	17.9	222.5	
95S-594	IH95Ab	J20k	SB05	76.8	45	23.2	127.5	石5
95S-595	IH95Ab2	J3p	東壁トレンチ	130.5	71.5	53.8	664	
95S-596	IH95Ab3	J3m	SD60	104.3	51.5	41.6	337	
95S-597	IH95Ab3	J3m	SD64	119.3	101.8	40.5	789	
95S-598	IH95Ab3	J20k	検	94.3	88.4	27.1	341	
95S-599	IH95Ab3	J3k	検	111.6	64.5	56.1	605	
95S-600	IH95Ab3	J20l	検	91.7	74.1	33.3	361	
95S-601	IH95Ab3	J3l	検	128.4	87.9	24.9	452	
95S-602	IH95Ab3	J2o	検	116.8	84	25.2	347	
95S-603	IH95Ab4	J20k	SD60下層	52.8	41.4	17.7	51	
95S-604	IH95Ab4	J20k	SD65	108.3	77	49.7	602	
95S-605	IH95Ab4	J20l	SD65	106	51.6	33.8	272.5	
95S-606	IH95Ab4	J20l	SD65	95	68.1	59.5	515	
95S-607	IH95Ab4	J20l	SD65	155	49.5	39	443	
95S-608	IH95Ab4	J20l	SD65	63.3	56.8	55.5	307.5	
95S-609	IH95Ab4	J1m	SD65	100.9	75.4	20.8	237.5	石器792
95S-610	IH95Ab4	J1m	SD65	142	81.7	74		
95S-611	IH95Ab4	J1n	SD65	64.4	41.6	41.4	153	
95S-612	IH95Ab4	J3o	SD65	64.2	60.9	39.5	266	
95S-613	IH95Ab4	J3o	SD65	59.4	53.3	53	272	
95S-614	IH95Ab4	J4o	SD65	84	43	31.3	177	
95S-615	IH95Ab4	J4p	SD65	111	83.1	85		
95S-616	IH95Ab4	J4p	SD65	110.4	78.3	62.3	663	
95S-617	IH95Ab4	J1l	SD65上層	113	50.8	32.5	256	
95S-618	IH95Ab4	J4p	SD65上層	76.1	72.9	37	285	
95S-619	IH95Ab4	J20k	SD65(下層)	93.8	63.2	49.5	440	
95S-620	IH95Ab4	J2n	SD65下層	96.7	84.4	41.4	476	
95S-621	IH95Ab4	J3n	SD65下層	83.3	53	48.4	309	
95S-622	IH95Ab4	J3o	SD65下層	85	75.1	50.6	368	
95S-623	IH95Ab4	J3o	SD65下層	69	49.1	32.3	137.5	
95S-624	IH95Ab4	J4p	SD65下層	86.5	49	32.8	178	
95S-625	IH95Ab4	J1l	SD66	69.1	56.8	44.9	239	

95S-626	IH95Ab4	J2l	SD66	83.1	79.2	51.4	435
95S-627	IH95Ab4	J2p	SD67	53.9	52.5	27.9	110
95S-628	IH95Ab4	J4n	SD69	99.6	61.5	43.2	382
95S-629	IH95Ab4	J3m	SK145	63.3	61.5	27.4	141
95S-630	IH95Ab4	J5n	SK175	67.8	58.9	35.6	216
95S-631	IH95Ab4	J5o	SX09	129	87	50.3	698
95S-632	IH95Ba	J7q	SX01	103	93.4	53.8	766
95S-633	IH95Ba	J16q	SX02	76.9	69.5	64.6	695
東西ベルト(ベル							
95S-634	IH95Ba	J9p	コン下)	113.5	78.1	53.1	530
95S-635	IH95Ba		表土はぎ	123.7	63.5	51.7	660
95S-636	IH95Ba3	J15o	層	117	91	97	1035
95S-637	IH95Ba3	J15o	層	150	110	105	
95S-638	IH95Ba5	J6p	SB02	125	69.4	63.7	696
95S-639	IH95Ba5	J9q	SB04	115.2	62.7	59.7	572 石器1216
95S-640	IH95Ba5	J7q	SD23	80.5	43	17.1	117.5 石器1234
95S-641	IH95Ba5	J9p	SD25下層	112	105	87.2	856
95S-642	IH95Ba5	J10p	SD25下層	67.5	66.5	19.2	131
95S-643	IH95Ba5	J10p	SD25下層	90.8	64.3	52.6	428
95S-644	IH95Ba5	J10q	SD35	102	68.1	41.3	410
95S-645	IH95Ba5	J8p	SK99	101	82.1	67.5	816 石器3275
NR01西壁トレ							
95S-646	IH95Ba5	J13n	ンチ	130.5	71.5	40.7	357.4
95S-647	IH95Ba5	J7p	検	132.9	95.3	63.3	石110
95S-648	IH95Bb	J3t~6t	SD09	110.3	52.9	20.5	210.1
95S-649	IH95Bb	J6t	層)	101.5	42.8	40.2	292.5
95S-650	IH95Bb	A13a	検	119.7	92.8	65	1032
95S-651	IH95C	J7k	SK58	61.5	50.4	32.5	165
95S-652	IH95C	J2n	SX04土器3	170	65	60.5	1025
95S-653	IH95C	J15m	検 (包含層)	130.5	78.5	32.3	586
95S-654	IH95C		表土はぎ	131.4	67	55.1	774
95S-655	IH95D	J19o, 2	SK72	142.5	82.4	45.3	792
95S-656	IH95D	J1m	検	151.7	64.1	44.9	681
95S-657	IH95D2	J2q	SX101	113	88.6	51	736
95S-658	IH95D2	J2r	SX101	79.7	54.9	54.4	344.9
95S-659	IH95D2	J2q	SK205	154	51.1	46.2	595
95S-660	IH95D2	J17r	北トレンチ	94.3	54.7	29.5	247.5
95S-661	IH95E	A4a	SB18	81.4	60.2	50.8	399
95S-662	IH95E	A1c	SB30	73.1	28.4	23.5	80
95S-663	IH95E	A3e	SK52底	68.9	65.7	23.7	144
95S-664	IH95E	A7f	SK83	63.9	50.2	42.5	225.2
95S-665	IH95E		検 南東部	120.5	54.1	41.3	417
95S-666	IH95E	A20a	検 (SB群)	57.1	56.9	37.4	200

登録№	調査区	グリッド	遺構	長さ	幅	厚さ	重さ	備考
		タタキ石						
96S-392	IH96G	A11g	掘り下げ	80.4	45.6	45.2	247.5	
96S-393	IH96Hb	J16h	SD09	101.3	52.7	37.4	295	
96S-394	IH96Ia	J9n	SD23(SZ01)	125.1	57.1	54.1	606	石12
96S-395	IH96Ia	J9o	SD23(SZ01)	103.4	90.2	40.4	610	石11
96S-396	IH96Ia	J13q	検	87.1	36	30	140	
96S-397	IH96Ia	J8n	SZ01トレンチ南北	134.3	69.9	40.9	565	
96S-398	IH96Ib	J6r	SB04	121.6	38.1	31.7	230	
96S-399	IH96J	J8n	SD10最下層(SZ01)	91	72.1	32.6	327.6	
96S-400	IH96J	J9n	SD10最下層(SZ01)	58	55	37.8	177.5	
96S-401	IH96J	J9n	SD10最下層(SZ01)	88.1	74.5	42.5	390	
96S-402	IH96J	J9n	SD10最下層(SZ01)	132.5	69.9	64.2	795	
96S-403	IH96J	J9m	SD10溝底	115.5	47.4	47.1	342.5	
96S-404	IH96J	J9o	SD13(最下層)(SZ01)	69.1	57.3	41.6	140	
96S-405	IH96J	J9o	SD13最下層(SZ01)	142.7	117.6	35.3	894	
96S-406	IH96J	J8m	西壁トレンチ	116.6	94	55.6	815	
96S-407	IH96J2	J10o	SB11	129.8	40.3	39.3	338	
96S-408	IH96J2	J9n	SD10下層	126	68.8	60.6	719	
96S-409	IH96J2	J6n	SD18	62.5	53.6	37.1	151	
96S-410	IH96J2	J7n	SD18-A	64.7	16.3	13.1	22.5	
96S-411	IH96J2	J10o	SD29	117.3	85.6	54.4	785	
96S-412	IH96J2	J8o	SK12	75.8	59.4	37	241	
96S-413	IH96J2	J8o	SK12	86.9	34.9	19.6	107.5	石1
96S-414	IH96J2	J8o	SK12	104.2	56.1	32.8	247.6	
96S-415	IH96J3	J10o	SB11下層(SD30)	94.3	80	44.9	510	
96S-416	IH96J3	J7m	SB13	82.2	71.4	46.5	400	
96S-417	IH96J3	J8n	SD31	102.7	55.5	22.1	205	
96S-418	IH96J3	J8o	SD34	85.9	82.9	59.1	594	
96S-419	IH96J3	J8o	SD36	85.8	56.1	41.1	285	
96S-420	IH96K	J16j	SD22	156	86	48.2		
96S-421	IH96K		SK53	88.8	46.7	43.9	266	
96S-422	IH96K	J14k	SE03	122.6	66.1	48	582	
96S-423	IH96K	J14i	検	56	53.4	27.9	106	
96S-424	IH96K2	J12i	SD101	87.4	79	21.7	267	
96S-425	IH96K2	J14i	SD103	77.3	52.8	43.4	287	
96S-426	IH96K2	J16j	SD104	74.2	44.3	38.5	206	
96S-427	IH96K2	J16k	SD104上層	110	77	77.1	785	
96S-428	IH96K2	J16k	SD104上層	105	92.8	68.2	994	
96S-429	IH96K2	J16j	SD104下層	108.8	76.3	47.2	591	
96S-430	IH96K2	J16j	SD104下層	88.1	64.9	53.3	425	
96S-431	IH96K2	J16j	SD104下層	81.7	66.7	46.8	357.7	
96S-432	IH96K2	J16k	SD104下層	85.4	79	48.7	492	
96S-433	IH96K2	J16k	SD104下層	137.9	59.8	39.8	462	
96S-434	IH96K2	J16k	SD104下層	77.8	59.3	57.8	380	

96S - 435	IH96K2	J16k	SD104下層	93.9	90.4	56.1	705
96S - 436	IH96K2	J16k	SD104下層	77.4	60.2	61.5	407
96S - 437	IH96K2	J16l	SD104下層	93.3	71.2	54.2	517.5
96S - 438	IH96K2	J16l	SD104下層	72	63.3	66.1	424
96S - 439	IH96K2	J13j	SD107	97	97	70	944
96S - 440	IH96K2	J13j	SD107	88.7	63.2	40.6	326
96S - 441	IH96K2		検	101	46.7	45	348
96S - 442	IH96La	A16p	SD11	116.3	51.1	36.4	331
96S - 443	IH96La	A16p	SD11	127.5	66.8	51.2	604 石4
96S - 444	IH96La	A16p	SD11	139.9	67.7	45.9	609 石5
96S - 445	IH96La	A13p	SK67	181	66.2	58.8	1009 石2
96S - 446	IH96La	A13p		195	67.7	61.5	石2
96S - 447	IH96Lc	A12m	SD16	149	53.2	45.5	514
96S - 448	IH96Lc	A1n	SB35	80	74.6	35.5	315 石3
96S - 449	IH96Lc	A1n	SB35	113	82	81.5	石4
96S - 450	IH96M	B17d	SD06	83.8	63.9	49.4	352.5
96S - 451	IH96M	B17d	SD06	60.2	54	40.2	177.5
96S - 452	IH96O	A9d	SD53下層	110.5	68.6	44.2	484
96S - 453	IH96O	A8e	SD54	123	65.6	75.7	865
96S - 454	IH96O	A8e	SD54	111.3	83.9	59.4	799
96S - 455	IH96O	A6d	SD55	121.7	62.3	56.1	640
96S - 456	IH96O	A6d	SD55	113.5	75.5	41.7	490
96S - 457	IH96O	A5c	SD55上層	95.8	71.2	18.6	214
96S - 458	IH96O	A20b	SK296	97.9	86.5	38	480
96S - 459	IH96O	A1b	SK302	100.3	80.6	50.7	590
96S - 460	IH96O	A1b	SK302	94.1	87.2	55.7	640
96S - 461	IH96O	A2b	SK303	98.9	80.9	44.3	379
96S - 462	IH96O	A1b	SK309	93.1	53.4	48.3	330
96S - 463	IH96O	A9f	岸辺タイセキ中層	128.1	110.5	49.6	1049
96S - 464	IH96O	A12f	NR01有機物層	93.1	62.5	39.9	337.5
96S - 465	IH96O	A3c	検	136.4	71.8	55.6	806
96S - 466	IH96O	A7e	検	98.9	53.3	49.4	377.5
96S - 467	IH96O		西壁メインセクション No.11	72.2	68.3	24.3	261
96S - 468	IH96P	A17a	SD28	100	70.5	37.2	401
96S - 469	IH96P	J9r	Sk58	83.8	64.2	30	242.5
96S - 470	IH96P		旧トレンチカベ清掃	114.3	62.5	37.6	458

登録№	調査区	グリッド	遺構	長さ	幅	厚さ	重さ	備考
		タタキ石						
9 7 S - 5	I H 9 7	A 8 p	検	74.5	71	47.9	360	